





# Safe & Well Guidance Notes

# **SLURRY PITS / EFFLUENT STORAGE**

#### **Principle Safety**

Slurry Pit Fencing, Gates & Covers are **LOCKED IN PLACE** to prevent access




ENSURE vehicles cannot enter slurry storage areas at **Scraping Points** 



#### **People**

 ENSURE protective equipment is worn to prevent ingestion and contact with skin and eyes



is worn to protect against inhaling fumes

In an emergency DO NOT enter to rescue someone unless it is safe - call 999




#### Gases

ENSURE areas are well ventilated **DURING AGITATION** 



ENSURE Gas Warning signs are IN PLACE




 BEWARE of gases given off during brown water flushing



#### **Fencing**


Access Gates locked / secured with metal sheet / cladding to render them unclimbable



Prevent access -**ENSURE** child deterrent Fencing SURROUNDS Slurry Pits, Tanks and Lagoons

#### Fencing

Spaces for suction pipe SECURED



MINIMUM HEIGHT -1.3 metres with barbed wire OR 2 metres without barbed wire

 Authorised Access Only signs IN PLACE (child proof)



# Scraping Ramps

ENSURE a Fence or sheeted gate is across ramp



ENSURE that a secure and suitable Barrier to stop tractor passing over the end ramp is IN PLACE



#### **Scraping Ramps**

Barrier - vertical uprights 150mm x 75mm, horizontal barrier 1/3 height of rear tractor tyre





ENSURE Swinging flaps attached to tractor stop rail




#### **Below Ground Stores**

Strong Cover FITTED able to take animals and vehicles weight



No Gaps >75mm between slats / mesh alongside pumps



Extraction pipes SECURED



# **Below Ground Stores**

Authorised Access Only signs IN PLACE



Covers - removable sections allow for rescue purposes (600mm sq)



 Sections are heavy, hinged and SECURED



#### **Maintenance**

REGULARLY **CHECK** integrity of fencing and gates (including the tension)




ENSURE that there are no gaps allowing child access




#### Maintenance

Keep gates LOCKED when NOT IN USE



REMOVE access ladders from tanks when NOT IN USE




#### General

Take ALL animals outside before mixing slurry



- Use outside mixing points first
- ENSURE an adult is outside when you enter building to get help if required



Do not stand close to exhaust when tanker is being filled



















### **Sources of Information**

http://www.hse.gov.uk/agriculture/index.htm

http://www.nfuonline.com/home (for health & safety support select Risk Management Services)

Phone No.

0845 873 1410

0845 300 9923 (RIDDOR accident reporting)

http://dcfarmconnect.co.uk

DCD website: www.dairycrestdirect.co.uk

**Health and Safety Executive (HSE)** 

## **Key Contacts**

Company

White Gold

Dairy Crest - Farm Business Unit National Farmers Union (NFU) DCD Office	0800 121 4766 024 7685 8500 or for members 0870 845 8458 01458 835060		
General Questions			
1. Have you assessed the risks on your	farm?		
2. Have you acted upon the results of yo	our assessment?		
3. Have you briefed your family, workers	(including temporary or relief staff) and any o	ontractors?	
4. Have you displayed the	Guidance Notes?		
5. All involved in working on this farm, need to sign and date this form to confirm that they have read and understood the GUIDANCE NOTES, as all are responsible for a safe and working environment - as we all depend on each other!			
Name	Signature	Date	
Notoci Actions Taken			
Notes: Actions Taken			

